# STATEMENT OF WORK FOR THE Rebuild of the TEST SET, FIELD CABLE AN/GTM-3 NSN: 6625-01-257-7921

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the Test Set, Field Cable, AN/GTM-3, NSN 6625-01-257-7921, Part Number F86700-0002, CAGE 96344 to Condition Code "A". The Test Set, Field Cable, AN/GTM-3 hereafter shall be referred to as the AN/GTM-3. This document contains requirements to restore the AN/GTM-3 to Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining".
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

### 2.1 Military Standards

MIL-STD-129

DoD Standard Practice: Military Marking for

Shipment and Storage

MIL-STD-2073-1D

DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

TM 09076A-14&P

Test Set, Field Cable, AN/GTM-3

DOD 4000.25-1-M

Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Military Handbook (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 <u>Industry Standards</u>

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems - Requirements

**Industry Standard (For Guidance)** 

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the Internet at <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracts Department, (Code 891), P. O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Command, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center (Code 566-1A), 814 Radford Blvd., Suite 20320, Marine Corps Logistics Command, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

# 3.0 REQUIREMENTS

3.1 The contractor shall rebuild the AN/GTM-3, NSN 6625-01-257-7921, Part Number F86700-0002, CAGE 96344 in accordance with TM-09076A-14&P.

# 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be to level "B" requirements.
  - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration

changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 581-1B) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel & Distribution Management Department, Distribution Management Branch, Management Control Activity (Code 581-1B), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320 or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Quality Assurances Provisions</u>. The Contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The contractor may requisition materiel as required in the performance of the SOW through the DOD Supply System. DOD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DOD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstending any other provision of law, no person shall be subject to any penalty for failing to complex with a Collection of information if it does not display a currently valid OMB control number.

Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. issted in Block E.

				*				ĺ
A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:	TM OTHE	×				
). SYSTEM/ITEM	F CONTRA	ACT/PR NO.	F. CONTR					ĺ
Test Set, Field Cable, AN		TOTAL II NO.	r. comin	NO 1 011				
DATA ITEM NO. 2. TITLE OF DATA ITEM	L		3. SUBTITLE					17. PR
A001	Request For Dev	equest For Deviation			Configuration Management			
. AUTHORITY (Data Acquisition Document No.)		5. CONTRACT REFERENCE		6. REQUIRING OFFICE				18. ES
DI-CMAN-806400	C	SOW 3.3		MCLB	A (566)	)		TO
DD 250 REQ 9. DIST STATEMENT REQUIRED	10. FREQUENCY			14. DISTRIBUTION				
LT	ASREQ	l	Blk 16			b. COPIES		
A A A	11. AS OF DATE	13. DATE OF SUBSEQ SUBMISSION	VENT	a. ADDRESSEE	Draft		inal	
i i				MGI DA (566.1)	1	Reg	Repro	
s. REMARKS Blk 4 - Contractor format sul ormat is authorized.	bmitted in MICROSO	OFT (.doc) or AD	OBE (.pdf)	MCLBA (566-1)	0	1	0	
RFD text files shall be created ormatted software products. reated using a MICROSOF	RFD accompanying	figures or graphic	s shall be	300		<u> </u>	-	
500 dpi.	I of the obb format	wiai a minimumii C	winity of		1		+	
Blks 10 & 12 - RFDs shall be conconforming material which	e submitted to obtain	authorization to d	eliver		1			
ionconforming material which locumentation.	en does not meet pre	scribed configurati	1011					
RFDs will be reviewed and d	lisposition determine	d within 20 workii	ng days upon					1
eccipt by the Government.	-					ļ		
Block 14: RFDs shall be tran nbmatcomconfigmngmnt@lo	ismitted via E-Mail to	the following add	dress:				+	
	· ·							
Distribution Statement A: Ap Inlimited.	proved for Public R	elease; Distribution	n is					i 
Infimited.					1		<b></b>	İ
						$\vdash$		
					· · · · · · · · · · · · · · · · · · ·			
								1
						<u> </u>		İ
						<u> </u>	ļ	
								l i
								į
						L		
					ļ	<b></b>		
								'
					<del> </del>	$\vdash$	+-	
		•			<del>                                     </del>	<u> </u>		i
					1			1
								1
					<u> </u>	<del>                                     </del>	<b>  </b>	
					<del> </del>	<u> </u>	<del>  </del>	İ
				15. TOTAL	0	1	0	
. PREPARED BY	H. DATE	I. APP/R	VED BY	<del></del>	J. DAT		<del></del>	1
Q (1).		3 3 1	)				,	
Nene Callina	19-0		my pour	nou	<del> </del>	0816		İ
PREPARED BY  Colling  DD FORM 1423-1, AUG 96 (EG)		I. APPA	ey Sus	15. TOTAL			1	